

**Government of India
Ministry of Commerce & Industry
Department of Commerce
Directorate General of Supplies & Disposals**

Page 1
Digitally signed by:
Verma Vinod Kumar
Email Id:
vkverma@dgsnd.gov.in

Telephone : 0141-2280949

Fax :

Telegram :

E-Mail :

Website : <http://dgsnd.gov.in>

Office of the Dy. Director Quality Assurance,
C-73, Shyam Marg, Shastri Nagar
Jaipur-

REGISTRATION CERTIFICATE

To

Dated : 20-MAR-2013

M/s **ARUN MANUFACTURING SERVICES PVT LTD**(Supplier Code : 05260)
**B-53, F.F. Complex,
Rani Jhansi Road,
Jhandewalan,
New Delhi
110055**

Ref:- Your Application No. AMS(P)/MSW/DGS&D REGN-2012.DOC

Dated : 08-DEC-2012

Dear Sir,

Your request for registration with Directorate General of Supplies & Disposals (DGS&D) has been accepted and your name has been included in the list of registered suppliers as per details given hereunder and in the attached **Schedule**.

Registration No. : DGS&D/Regn/**JAI/S-4817/12/05260** Valid upto : As indicated Workwise

Category of registration : Manufacturer Whether SSI Unit : Yes

Name of the firm : ARUN MANUFACTURING SERVICES PVT LTD

Office Address, E-Mail ID, Telephone nos.

a) Registered Office

B-53, F.F. Complex,
Rani Jhansi Road,
Jhandewalan,
New Delhi
011-23544555/23551699
AMSPOLY@VSNL.COM

b) Corporate/Head Office

G-1/150-151, Indl AREA Behror-
301701 (Distt Alwar) Rajastha
Alwar
01494-299959
amsbehror@yahoo.co.in

c) Correspondence Address

Date of incorporation : 15-DEC-1993

Constitution of the firm : Private Limited

Name of Managing Director/Partner/Proprietor

1 H.P AGARWAL
2 ARUN AGARWAL
3 ARVIND AGARWAL

Permanent Account No.(PAN): AAACA2066K

Annual Turnover	:Year	Rs.(In Lacs)	
	2011-12	2029.36	With Profit
	2010-11	2453.07	With Profit
	2009-10	2517.28	With Profit

Monetry Limit (Rs.) : Without any limit

The registration is subject to Conditions of Registration as enclosed and as prescribed by DGS&D from time to time. Stores will be offered for customer's testing and inspection at the premises specified in the Schedule. This Certificate is to be produced only in full and complete with amendments if any. Please quote your registration no. in all future correspondence with DGS&D.

Yours faithfully,

[
Deputy Director (Registration)
for Director General of Supplies & Disposals

Schedule to Registration No. JAI/S-4817/12/05260

Dated : 20-MAR-2013

S.No Works Name & Address**Validity : 19-MAR-2016****1 ARUN MANUFACTURING SERVICES PV**

G-1/150-151 INDUSTRIAL AREA BEHROR
 DISTT ALWAR
 01494-299959

Sales tax registration No. 0206/05773/Behror

Date : 26-MAR-1998

CST registration No. 0206/05773/Behror

Date : 26-MAR-1998

Excise Duty Registration No. AAACA2066KXM001

Authority CENTRAL EXCISE
RANGE BEHROR

S.No	Description of Stores	Governing Specification/ Eligibility Criteria	Make/ Brand	Prod.Capacity/ Dt.of Approval
1	Low Density Polyethylene Films (width 6.0 to 6.50 meters)	'ISI' Marked Low Density Polythethylene Film, Black High, Impact Resistant, Heavy duty Grade 030, in thickness of 100, 125, 150, 200, & 250 micro meter in flat sheet of 6.00 to 6.50 meters width and length 6 meters and above, without having any joint as per IS: 2508/1984 (reaffirmed 2003) with Amdt. No. 1, 2, & 3.		100 M/ts. per month on single shift basis. 20-MAR-2013
2	Low Density Polyethylene Films (width 6.51 to 7.50 meters)	'ISI' Marked Low Density Polythethylene Film, Black High, Impact Resistant, Heavy duty Grade 030, in thickness of 100, 125, 150, 200, & 250 micro meter in flat sheet of 6.51 to 7.50 meters width and length 6 meters and above, without having any joint as per IS: 2508/1984 (reaffirmed 2003) with Amdt. No. 1, 2, & 3.		20-MAR-2013
3	Low Density Polyethylene Films (width 7.51 to 9.00 meters)	'ISI' Marked Low Density Polythethylene Film, Black High, Impact Resistant, Heavy duty Grade 030, in thickness of 100, 125, 150, 200, & 250 micro meter in flat sheet of 7.51 to 9.0 meters width and length 6 meters and above, without having any joint as per IS: 2508/1984 (reaffirmed		20-MAR-2013

2003) with Amdt. No. 1,
2, & 3.

- 4 Low Density Polyethylene Films (width 9.01 to 12.00 meters) 'ISI' Marked Low Density Polythethylene Film, Black High, Impact Resistant, Heavy duty Grade 030, in thickness of 100, 125, 150, 200, & 250 micro meter in flat sheet of 9.01 to 12.0 meters width and length 6 meters and above, without having any joint as per IS: 2508/1984 (reaffirmed 2003) with Amdt. No. 1, 2, & 3.

20-MAR-2013

No. of items registered (work wise): 4

* ANNEXURE Attached

Copy to:

1. Director of Quality Assurance, [controlling officer]
2. Director of Supplies [concerned purchase Dte(s), DGS&D, New Delhi.
3. Director (Registration) / Director (MIS) DG (S&D), New Delhi
4. Guard File

Please Note:

1. This supersedes the earlier Registration Certificate if any
2. This registration is an indication of the capability of the registered firm. For further assurance on quality, the Purchasers are advised to avail the inspection services offered by the Quality Assurance Wing of DGS&D.
3. Authenticity of this certificate can be verified by the government indentors and purchasers
4. Onus for verification of the firm's ITCC before award of Contract will rest with the purchaser.

ANNEXURE

**ARUN MANUFACTURING SERVICES PV
G-1/150-151 INDUSTRIAL AREA BEHROR**

DISTT ALWAR

01494-299959

*Low Density Polyethylene Films (width 6.0 to 6.50 meters)***Limiting Size / Grade / Type**

1 As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
RC Period (01-09-2012 to 31-08-2013)
item no. 1 (Schedule 1)
Grade : 030
Thickness (Micrometer) : 125

As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
RC Period (01-09-2012 to 31-08-2013)
Item no. 2 (Schedule 1)
Grade : 030
Thickness (Micrometer) : 200

As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
RC Period (01-09-2012 to 31-08-2013)
item no. 3 (Schedule 1)
Grade : 030
Thickness (Micrometer) : 250

As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
RC Period (01-09-2012 to 31-08-2013)
item no. 4 (Schedule 1)
Grade : 030
Thickness (Micrometer) : 100

As per DGSNDT/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
RC Period (01-09-2012 to 31-08-2013)
item no. 5 (Schedule 1)
Grade : 030
Thickness (Micrometer) : 150

*Low Density Polyethylene Films (width 6.51 to 7.50 meters)***Limiting Size / Grade / Type**

1 As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
RC Period (01-09-2012 to 31-08-2013)
Item no. 6 (Schedule 2)
Grade : 030
Thickness (Micrometer) : 100

As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
RC Period (01-09-2012 to 31-08-2013)
Item no. 7 (Schedule 2)
Grade : 030
Thickness (Micrometer) : 125

As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
 RC Period (01-09-2012 to 31-08-2013)
 Item no. 8 (Schedule 2) Grade : 030
 Thickness (Micrometer) : 150

As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
 RC Period (01-09-2012 to 31-08-2013)
 Item no. 9 (Schedule 2) Grade : 030
 Thickness (Micrometer) : 200

As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
 RC Period (01-09-2012 to 31-08-2013)
 Item no. 10 (Schedule 2) Grade : 030
 Thickness (Micrometer) : 250

Low Density Polyethylene Films (width 7.51 to 9.00 meters)

Limiting Size / Grade / Type

1 As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
 item no. 11 (Schedule 3) RC Period (01-09-2012 to 31-08-2013)
 Grade : 030
 Thickness (Micrometer) : 125

As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
 item no. 12 (Schedule 3) RC Period (01-09-2012 to 31-08-2013)
 Grade : 030
 Thickness (Micrometer) : 200

As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
 item no. 13 (Schedule 3) RC Period (01-09-2012 to 31-08-2013)
 Grade : 030
 Thickness (Micrometer) : 250

As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
 item no. 14 (Schedule 3) RC Period (01-09-2012 to 31-08-2013)
 Grade : 030
 Thickness (Micrometer) : 100

As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
 item no. 15 (Schedule 3) RC Period (01-09-2012 to 31-08-2013)
 Grade : 030
 Thickness (Micrometer) : 150

Low Density Polyethylene Films (width 9.01 to 12.00 meters)

Limiting Size / Grade / Type

1 As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
 RC Period (01-09-2012 to 31-08-2013)
 Item no. 16 (Schedule 4)
 Grade : 030
 Thickness (Micrometer) : 100

As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
 RC Period (01-09-2012 to 31-08-2013)
 Item no. 17 (Schedule 4)
 Grade : 030
 Thickness (Micrometer) : 125

As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42

RC Period (01-09-2012 to 31-08-2013)
Item no. 18 (Schedule 4) Grade : 030
Thickness (Micrometer) : 150

As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
RC Period (01-09-2012 to 31-08-2013)
Item no. 19 (Schedule 4) Grade : 030
Thickness (Micrometer) : 200

As per DGSND T/E No. POLYSHEET/HW-2/RC-H6010000/0813/42
RC Period (01-09-2012 to 31-08-2013)
Item no. 20 (Schedule 4) Grade : 030
Thickness (Micrometer) : 250

Conditions of Registration

1. Registered firms are to abide by the General Conditions of contracts contained in DGS&D-68 (revised and DGS&D-1001 from time to time).
2. It is obligatory on the part of the registered firms to furnish performance statement in format prescribed in the Application Form every year indicating all orders placed on them.
3. Registered firms are required to keep Registering Authority informed about the changes in any of the particulars furnished by them in their application or in their product specification or discontinuation of production of any item for which they stand registered. This intimation is to be given within a period of 15 days from the date of such change or discontinuation.
4. Registered firms are required to furnish all the documents having specific validity periods like BIS license, lease agreement, agreement with the principal/manufactures to registering authority as and when they become due. Separate application shall be made for such unit, where firm has more than one manufacturing units. Requests for change in the of a firm and/or their office address should be addressed to the Registration office/centre who granted the documentary evidence. In the event of any change in the constitution of the firm or in the location of their manufacturing works, the registration with DGS&D shall lapse. The firm should surrender the original registration certificate in such cases and apply for registration afresh.
5. In cases where stores are manufactured by a firm other than the supplier, the manufacturer has given a back up warranty for the stores supplied. It will be responsibility of the supplier/manufacturer (both in case they are different) to ensure availability of spares for at least period of 7 years after the date of supply.
6. All registered firms are expected to maintain absolute integrity, follow a decent standard of business ethics and do nothing unbecoming of a registered supplier.
7. Fresh application with prescribed fee shall be required to be made after expiry of previous registration or for seeking additional registration/change of specification.
8. DGS&D registration is one of the requirements for the suppliers to participate in DGS&D tenders. The tenders may stipulate other requirements/eligibility criteria which are also required to be compelled with.
9. The registration on the approved list does not guarantee award of any contract. In their quotation against tenders, registered firms are to quote their registration number, along with clear statement that the tenderer is registered for that particular store with DGS&D.
10. In all future correspondence with the Registration Branch/Registering Authority of DGS&D, approved vendors are always required to quote the Registration No. given at the top of the registration letter.
11. Whenever registered firms are required to produce copy of their registered certificate copy of the original certificate complete with all the amendments including additions/deletions is made their after shall be produced.
12. The Government has right to add/delete any of the items and to amend any of the terms and conditions included in the registration granted to the firms with effect from any date specified in the communication
13. Failure to abide by the conditions of registration as above on any of the other grounds as listed under Para 5.17.2 of DGS&D Manual being applicable, name of a registered firm liable to be removed from the list of approved suppliers of DGS&D